	Туре	L #	Hits	Search Text	DBs
1	BRS	L1	6542	HAMMON.in. or LANG.in. or KRUGER in or "SCHRODERin."	US- PGPUB; USPAT
2	BRS	L2	183	11 and radial.clm.	US- PGPUB; USPAT
3	BRS	L3	2	12 and "radial compressor" clm	US- PGPUB; USPAT

	Time Stamp	Comments	Error Definition	Err ors
1	2005/03/01 14:25			
2	2005/03/01 14:25		·	
3	2005/03/01 14:25		·	

=> d his

(FILE 'HOME' ENTERED AT 12:54:31 ON 01 MAR 2005)

FILE 'STNGUIDE' ENTERED AT 12:54:37 ON 01 MAR 2005

FILE 'CAPLUS' ENTERED AT 12:54:44 ON 01 MAR 2005

L1 965179 S OXIDA? OR OXIDI?

L2 46780 S L1 AND PRESSURE

L3 1 S L2 AND "RADIAL COMPRESSOR"

=> d bib abs

- L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN
- AN 2004:493593 CAPLUS
- DN 141:38982
- TI Preparation of at least one organic compound by heterogeneously catalyzed partial gas-phase oxidation using a radial
- IN Schliephake, Volker; Hammon, Ulrich; Lang, Ernst; Kruger, Carl-ludwig; Schroder, Jurgen; Muller-Engel, Klaus Joachim
- PA BASF Aktiengesellschaft, Germany
- SO U.S. Pat. Appl. Publ., 12 pp. CODEN: USXXCO
- DT Patent
- LA English
- FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	US 2004116730	A1	20040617	US 2003-667782	20030923
	DE 10353014	A1	20040624	DE 2003-10353014	20031113
	BR 2003005942	Α	20041221	BR 2003-5942	20031208
PRAI	DE 2002-10259023	Α	20021216		

AB Organic compds. (e.g., acrylic acid) are prepared by heterogeneously catalyzed partial gas-phase oxidation of precursor compds. (e.g., propylene) by a process in which a portion of the reaction gas starting mixture is brought from a low initial pressure to a higher final pressure by means of a radial compressor. Radial compressor diagrams are presented.

(FILE 'HOME' ENTERED AT 12:54:31 ON 01 MAR 2005)

FILE 'STNGUIDE' ENTERED AT 12:54:37 ON 01 MAR 2005

FILE 'CAPLUS' ENTERED AT 12:54:44 ON 01 MAR 2005

L1 965179 S OXIDA? OR OXIDI?

L2 46780 S L1 AND PRESSURE

L3 1 S L2 AND "RADIAL COMPRESSOR"

FILE 'CAPLUS' ENTERED AT 13:03:39 ON 01 MAR 2005

=> s 12 and radial and compressor

87416 RADIAL

16659 COMPRESSOR

L4 1 L2 AND RADIAL AND COMPRESSOR

=> d bib abs

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:493593 CAPLUS

DN 141:38982

TI Preparation of at least one organic compound by heterogeneously catalyzed partial gas-phase oxidation using a radial

compressor

IN Schliephake, Volker; Hammon, Ulrich; Lang, Ernst; Kruger, Carl-ludwig; Schroder, Jurgen; Muller-Engel, Klaus Joachim

PA BASF Aktiengesellschaft, Germany

SO U.S. Pat. Appl. Publ., 12 pp. CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	US 2004116730	A1	20040617	US 2003-667782	20030923
	DE 10353014	A1	20040624	DE 2003-10353014	20031113
	BR 2003005942	Α	20041221	BR 2003-5942	20031208
PRAI	DE 2002-10259023	Α	20021216		_

AB Organic compds. (e.g., acrylic acid) are prepared by heterogeneously catalyzed partial gas-phase oxidation of precursor compds. (e.g., propylene) by a process in which a portion of the reaction gas starting mixture is brought from a low initial pressure to a higher final pressure by means of a radial compressor. Radial compressor diagrams are presented.